


# Lift King 9H “HIGH LIFT” 4-Post 4.0T Portable

(Model SS7000H)

Overview | [Download Brochure](#) | \$3,950 (inc. GST)

- ✓ *higher lift / increased under platform clearance*
- ✓ *upgraded light weight alloy approach ramps and 2.0T rolling jacking tray as standard equipment*

**Instantly “doubles” your garage space and allows you to safely store and work on your prized possession!**



## Overview

Lift King 9H is our “high lift” portable 4.0T parking auto hoist for the domestic market.

It is designed to accommodate standard sedans and 4WD’s above and SUV’s, 4WD’s, boats or anything taller under the platform with its higher 2098mm clearance (above top lock) and 2082mm clearance (on top lock). And it is designed to be left “free standing” and portable so you can move it anywhere, any time around your workshop.

This 4-post car hoists incorporates a rolling 2.0T jacking tray that can be used to lift your vehicles wheels off the platforms when used with a bottle jack or car jack, however, if you want the “real thing” then go for our rolling manual or pneumatic jacking beam as an optional extra. ([LINK to Page on Jacking Beams](#)). This hoist also includes the light-weight alloy removable approach ramps, so you won’t break your back lifting them on and off.

## 2.0T rolling jacking tray




## light weight alloy removable approach ramps



## Features

- higher lift : 2098mm max height 2082 max height on top lock
- castor kit for portability keeps the hoist free standing (dyno bolts supplied for fixed option)
- 3 x plastic drip trays to protect the car below the platform
- 2.0T rolling jacking tray which can be used for wheel removal with a bottle jack or car jack. Other uses are a sliding tool tray or oil drip tray.
- slave platform can be adjusted to accommodate various width vehicles
  - light weight alloy removable approach ramps are half the weight of the standard steel ramps, saving your back when lifting on and off.
  - single heavy duty hydraulic ram safely concealed under the platform
  - front/rear removable stop plates
  - drive-on drive off capability for convenience
  - built in anti-burst valve in the ram cylinder for safety
  - box section reinforced platforms ensures no deformation of platforms under load
  - Safety locks in each post with secondary anti-cable break lock for added security
  - Single point manual safety lock system – simple and reliable – locks every 150mm
  - 240v single-phase or 415V three-phase option (\$60 extra)
  - checker plate finish
  - smart looking powder coated two-tone Gunmetal Grey posts with black platforms.





## Specifications

### SS7000H

- Lifting capacity: **4.0T**
- Maximum lift height under platforms: **2098mm**. On top lock: **2082mm**
- Platform length: **4200mm**
- Post height: **2410mm**
- Width between posts (installation width): **2780mm**
- Hoist length (installation length) excluding 930mm long drive on ramps: **4455mm**
- Hoist length with drive on ramps: **5335mm**
- Width between platforms (adjustable): **1104/2052mm**
- Platform Width: **474mm**
- Drive through width clearance below platform: **2549mm**
- Drive through width clearance above platform: **2449mm**
- Lifting Time: **50** seconds

